

| Author(s) | Year | Title | Publication | URL |
|---|------|--|---|---|
| Abadie E.I. | 2011 | A new species of <i>Hylobothynus</i> Ohaus, 1910 from Rondonia state, Brazil | Lambillionea 111(2):159-160 | |
| Agoglietta R., Moreno C.E., Zunino M., Bonsignori G. & Dellacasa M. | 2011 | Cumulative annual dung beetle diversity in Mediterranean seasonal environments | Ecological Research 26:1-9 | |
| Agoiz-Bustamante J.L. & Blázquez Caselles A. | 2011 | <i>Platycerus spinifer</i> Schaufuss, 1862 (Coleoptera, Lucanidae), un nuevo lucánido para la fauna de Cáceres | Arquivos Entomológicos 5:109-110 | http://www.aegaweb.com/arquivos_entomologicos/ae05_2011_agoiz_blazquez_platycerus_spinifer_caceres.pdf |
| Agoiz-Bustamante J.L., Blázquez Caselles A. & Garretas Muriel V.A. | 2011 | <i>Euserica mutata</i> (Gyllenhal, 1817), nueva especie para Galicia, Noroeste de la Península Ibérica | Arquivos Entomológicos 5:143-144 | http://www.aegaweb.com/arquivos_entomologicos/ae05_2011_agoiz_et_al_euserica_mutata_nueva_galicia.pdf |
| Ahrens D. | 2011 | A revision of the genus <i>Archeohomaloplia</i> Nikolajev, 1982 | Bonn zoological Bulletin 60(2):117-138 | http://www.museum-koenig.de/web/Forschung/Buecher/Beitraege/Verzeichnis/60_2_01_ahrens.pdf |
| Ahrens D. & Fabrizi S. | 2011 | New species of Sericini from the Himalaya and adjacent mountains | Bonn zoological Bulletin 60(2):139-164 | http://www.museum-koenig.de/web/Forschung/Buecher/Beitraege/Verzeichnis/60_2_08_ahrens_2.pdf |
| Ahrens D., Scott M. & Vogler A.P. | 2011 | The phylogeny of monkey beetles based on mitochondrial and ribosomal RNA genes | Molecular Phylogenetics and Evolution 60:408-415 | |
| Akamine M., Ishikawa K., Maekawa K. & Kon M. | 2011 | The physical mechanism of cuticular color in <i>Phelotrupes auratus</i> | Entomological Science 14:291-296 | |
| Akamine M., Maekawa K. & Kon M. | 2011 | Phylogeography of Japanese Population of <i>Phelotrupes auratus</i> Inferred from Mitochondrial DNA Sequences | Zoological Science 28(9):652-658 | |
| Alonso-Zarazaga M.A. & Krell F-T. | 2011 | Change of authorship of <i>Aphodius</i> and <i>Oryctes</i> to Hellwig, 1798 | Zootaxa 3060:67-68 | http://www.mapress.com/zootaxa/2011/f/zt03060p068.pdf |
| Angus R.B. | 2011 | Chromosomal investigations of eight species of Geotrupidae | Nouvelle Revue d'Entomologie (N.S.) 27(4):291-301 | |
| Anlas S., Keith D. & Tezcan S. | 2011 | Notes on the seasonal dynamics of some coprophagous Scarabaeoidea species in Manisa province, western Anatolia | Türkisch Entomol.Dergisi 35(3):447-460 | |
| Antoine Ph. | 2011 | Identification de <i>Pachnoda cincticollis</i> Moser, 1914 et description d'une espèce nouvelle | Entomologia Africana 16(1):27-34 | |

| | | | | |
|---|------|--|---|---|
| Araya K. & Fujioka M. | 2011 | Notes on the new third species of the genus <i>Chewlucanus</i> Ikeda et Katsura, 2000 described from North Sumatra | Kogane, Tokyo 12:87-92 | |
| Araya K. & Kon M. | 2011 | Redescription of the Male of <i>Aegus hikidai</i> Araya, 1994 Originally Described from Mt. Mulu, Sarawak, Malaysia in Borneo | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:143-148 | |
| Arce-Pérez R. & Moron M.A. | 2011 | <i>Macroductylus zaragozai</i> sp. nov. de Guatemala y México | Dugesiana 17(2):171-174 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/171.pdf |
| Arias-Buriticá J.A. | 2011 | Revisión taxonómica de la Sección "Buqueti", <i>Dichotomius</i> Hope, 1838 | Tesis Universidad Nacional de Colombia: 1-124 | http://www.bdigital.unal.edu.co/4208/1/01190368.2011.pdf |
| Audino L.D., Silva P.G.da, Nogueira J.M., Moraes L.P.de & Vaz-de-Mello F.Z. | 2011 | Scarabaeinae de um bosque de eucalipto introduzido em uma região originalmente campestre | Iheringia, Série Zoologia 101(1-2):121-126 | http://www.scielo.br/pdf/isz/v101n1-2/v101n1-2a17.pdf |
| Bai M., McCullough E., Song K-Q., Liu W-G. & Yang X-K. | 2011 | Evolutionary Constraints in Hind Wing Shape in Chinese Dung Beetles | Plos ONE 6(6):1-12 | http://www.plosone.org/article/attachment.action?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0021600&representation=PDF |
| Bai M., Ren D. & Yang X. | 2011 | <i>Prophaenognatha</i> , a new Aclopinæ genus from the Yixian formation, China and its phylogenetic position based on morphological characters | Acta Geologica Sinica 85(5):984-993 | |
| Ballerio A., Gill B.D. & Grebennikov V.V. | 2011 | Illustrated overview and identification key to Cameroonian Ceratocanthinae beetles with description of four new species | Zootaxa 2892:1-24 | http://www.zin.ru/Animalia/Coleoptera/pdf/camcerato.pdf |
| Ballerio A., Rey A., Uliana M. & Colla A. | 2011 | Coleoptera Scarabaeoidea nuovi interessanti per la fauna Italiana | Rivista Museo civico di Storia Naturale "E.Caffi", Bergamo 25:69-74 | |
| Barbero E. & Tagliaferri F. | 2011 | <i>Onthophagus phalopsides</i> Frey, 1955, a junior synonym of <i>Onthophagus gonopygus</i> d'Orbigny, 1902 | Catharsius. La Revue 4:3-4 | |
| Barbero E., Palestini C. & Roggero A. | 2011 | <i>Tibiodrepanus tagliaferrii</i> —a new Afrotropical Drepanocerina species, with notes on phylogeny and distribution of the genus | Zootaxa 2923:27-47 | |
| Bartolozzi L., Cianferoni F. & Monte C. | 2011 | Checklist of the Lucanidae from the Indo-Australian transition zone | Telnov D. (ed.) Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea 1:43-58 | |
| Bezborodov V.G. | 2011 | First record of the family Scarabaeidae for the fauna of Chukotka, Russia | Far Eastern Entomologist 223:7-8 | http://www.biosoil.ru/fee/2011/N-223/N-223.pdf |
| Bezborodov V.G. | 2011 | <i>Eophileurus chinensis</i> (Faldermann, 1835), a rare and little-known species of the Russian fauna | Euroasian Entomological Journal 10(1):93-95 | |

| | | | | |
|---|------|---|---|---|
| Bezdek A. & Hajek J. | 2011 | Catalogue of type specimens of beetles deposited in the National Museum, Prague, Czech Republic. Scarabaeidae: Scarabaeinae: Ateuchini and Canthonini | Acta Entomologica Musei Nationalis Pragae 51(1):349-378 | http://www.aemnp.eu/PDF/51_1/BezdekHajekLQ.pdf |
| Bezdek A. & Kobayashi H. | 2011 | New synonyms, a new name and distributional records of some Oriental Apogonia chafers | Kogane, Tokyo 12:15-24 | |
| Bidas M., Byk A. & Mokrzycki T. | 2011 | Nowe stwierdzenie Aphodius consputus Creutzer, 1799 w Polsce | Wiadomosci Entomologiczne 30(4):265 | http://pte.au.poznan.pl/we/2011/36_krotkie_oniesienia.pdf |
| Boilly O. | 2011 | Les Bolboceratidae de Guyane | Acorep-France: Coléoptères de Guyane 4:19-31 | |
| Boilly O. | 2011 | Description d'une nouvelle espèce d'Athyreus MacLeay de Guyane et compléments de description | Acorep-France: Coléoptères de Guyane 3:71-76 | |
| Bomans H.E. | 2011 | Corrigenda. Description d'une nouvelle espèce de Figulus Macleay de Micronésie (108e contribution à l'étude des Coléoptères Lucanidés) | Lambillionea 111(1):81 | |
| Bordat P. | 2011 | Aphodius Bayeri Endrödi, 1956 identique à Aphodius calidus Harold, 1871. Désignation d'un lectotype et nouvelle combinaison | Nouvelle Revue d'Entomologie. Paris(N.S.)(2010-2011)27(3):281-282 | |
| Bordat P. | 2011 | Les espèces du genre Pseudopharaphodius Bordat, 1990 | Nouvelle Revue d'Entomologie. Paris(N.S.)(2010-2011)27(1):5-34 | |
| Bouchard P., Bousquet Y., Davies A.E., Alonso-Zarazaga M.A., Lawrence J.F., Lyal C.H.C., Newton A.F., Reid C.A.M., Schmitt M., Slinn S. A. & Smith A. R. T. | 2011 | Family-group names in Coleoptera | Zookeys 88:1-972 (38-45, 225-272) | |
| Branco T. | 2011 | Scarabaeidae de l'Afrique de l'Ouest : les noms du niveau genre et leurs espèces types | Catharsius. La Revue 4:9-25 | |
| Branco T. | 2011 | The Eupariini of Portugal, including the first record of Ataenius spretulus (Haldeman, 1848) from outside North America | Boletin de la Sociedad Entomologica Aragonesa 49:145-148 | |
| Branco T. | 2011 | Aganocrossus or Agonocrossus? Choice of the correct original spelling | Boletin de la Sociedad Entomologica Aragonesa 49:335-336 | |
| Byk A. & Bidas M. | 2011 | Nowe stwierdzenia Aphodius rotundangulus Reitter, 1900 w Polsce z uwagami o jego bionomii | Wiadomosci Entomologiczne 30(4):264 | http://pte.au.poznan.pl/we/2011/36_krotkie_oniesienia.pdf |
| Byk A. & Doktor D. | 2011 | Nowe stanowiska Heptaulacus testudinarius (Fabricius, 1775) w Polsce | Wiadomosci Entomologiczne 30(4):265-266 | http://pte.au.poznan.pl/we/2011/36_krotkie_oniesienia.pdf |

| | | | | |
|---|------|---|--|---|
| Calisto V. & Morelli E. | 2011 | Descripción de los estados inmaduros de <i>Rutela lineola</i> (Linneo, 1767) | Acta Zoológica Mexicana (n.s.) 27(1):67-76 | http://www1.inecol.edu.mx/azm/AZM27(1)-2011/27(1)05-Calisto.pdf |
| Campanaro A., Toni I., Hardersen S. & Grasso D.A. | 2011 | Monitoring of <i>Lucanus cervus</i> by means of Remains of Predation | Entomologia Generalis 33(1/2):79-89 | |
| Carpaneto G.M., Piattella E., Dellacasa G., Dellacasa M., Pittino R. & Mazziotta A. | 2011 | The lamellicorn beetles of southern Sardinia | Nardi G., Whitmore D., Bardiani M., Birtele D., Mason F., Spada L. & Cerretti P. (eds), Biodiversity of Marganai and Montimannu (Sardinia). Research in the framework of the Dugesiana 17(2):175-180 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/175.pdf |
| Carrillo-Ruiz H. | 2011 | <i>Hoplia zaragozai</i> , nueva especie de Chiapas, México | | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/175.pdf |
| Carrillo-Ruiz H. & Moron M.A. | 2011 | Phylogenetic Relationships of the Genus <i>Hoplia</i> Illiger | Neotropical Entomology 40(2):217-221 | http://www.scielo.br/pdf/ne/v40n2/10.pdf |
| Chandra K. & Gupta M. | 2011 | Study of Scarabaeid Beetles of Veerangana Durgavati Wildlife Sanctuary, Damoh, Madhya Pradesh, India | Deccan Current Science 5:272-278 | http://jdcsci.in/june%2011/01.pdf |
| Cherman M.A., Guedes J.V.C., Moron M.A., Dal Prá E., Perini C.R. & Jung A.H. | 2011 | First record of species of <i>Liogenys</i> associated with winter grain crops in Rio Grande do Sul (Brazil) | Revista Brasileira de Entomologia 55(4):618-620 | http://www.scielo.br/pdf/rbent/v55n4/aop5611.pdf |
| Connior M.B. | 2011 | Beetles (Coleoptera: Histeridae and Scarabaeidae) from previously unsampled populations of pocket gopher burrows in Louisiana | Insecta Mundi 0153:1-5 | http://centerforsystematicentomology.org/insectamundi/0153Connior.pdf |
| Cunha R.L., Verdu J.R., Lobo J.M. & Zardoya R. | 2011 | Ancient origin of endemic Iberian earth-boring dung beetles | Molecular Phylogenetics and Evolution 59:578–586 | http://biocongroup.eu/BioCon/R.L.Cunha_files/Cunha%20et%20al%20MPE2011.pdf |
| Curoe D.J. | 2011 | A new species of <i>Spodochlamys</i> Burmeister from Central America | Gironale Italiano di Entomologia 12:261-266 | |
| Curoe D.J. | 2011 | A new species of <i>Trigonopeltastes</i> Burmeister from Mexico | Besoiro 20:5-7 | |
| Curoe D.J. | 2011 | A new species of <i>Chrysina</i> Kirby of the <i>marginata</i> complex | Besoiro 20:2-4 | |
| De Palma M. & Frantz S. | 2011 | Identification of <i>Scarabaeus micans</i> Drury and taxonomic notes on <i>Dicronorhina</i> Hope, with description of a new species | Cetoniimania NS 2:5-36 | |
| Delgado L. | 2011 | New Species of the Genus <i>Diplotaxis</i> Kirby, 1837 from Northeastern Mexico | The Coleopterists Bulletin 65(2):189-191 | |

| | | | | |
|---|------|---|--|---|
| Deliry C. | 2011 | Essai de liste des Coléoptères de France | Histoires Naturelles 16:1-330 | http://www.deliry.com/hn16.pdf |
| Dellacasa M., Dellacasa G. & Gordon R.D. | 2011 | Cephalocyclus pseudofuliginosus new species from Mexico | Acta zoologica cracoviensia 54B(1-2):31-36 | http://www.isez.pan.krakow.pl/journals/azc_i/pdf/54B(1-2)/54B(1-2)_05.pdf |
| Dellacasa M., Dellacasa G. & Gordon R.D. | 2011 | Systematic revision of the American taxa belonging to the genera Alloblackburneus Bordat, 2009, and Blackburneus Schmidt, 1913, with description of seven new species | Insecta Mundi 0204:1-52 | http://centerforsystematicentomology.org/insectamundi/0204Dellacasaetal.pdf |
| Dellacasa M., Dellacasa G., Gordon R.D. & Stebnicka Z.T. | 2011 | Skelleyanus eremita new genus and new species of Mexican Aphodiini | Acta zoologica cracoviensia 54B(1-2):1-4 | http://www.isez.pan.krakow.pl/journals/azc_i/pdf/54B(1-2)/54B(1-2)_01.pdf |
| Deschodt C.M., Davis A.L.V. & Scholtz C.H. | 2011 | New dung beetle taxa from arid south-western Africa | Insect Systematics & Evolution 42:277-294 | |
| Drumont A. & Saldaitis A. | 2011 | New records of palaeartic Dynastinae (2): Phyllognathus excavatus (Forster) in the Arabian Peninsula | Lambillionea 111(3):275-277 | |
| Drumont A. & Saltin J-P. | 2011 | Seconde contribution à l'étude d'Oryctes (Rykanes) heros Endrödi | Lambillionea 111(1):82-84 | |
| Drumont A., Dechambre R-P, Yamaya S. & Verdugo A. | 2011 | Note sur le genre Microrhyctes Arrow, 1908 en Chine: nouvelles données de capture et description d'une espèce nouvelle | Lambillionea 111(2):127-132 | |
| Errouissi F., Labidi I., Jay-Robert P., Nouïra S. & Lumaret J.-P. | 2011 | Dung beetle assemblages organization in two contrasted areas of the Mediterranean region: affinities and divergences | Annales de la Société entomologique de France (n.s.) 47(3-4):402-417 | http://zoologie.umh.ac.be/asef/pdf/2011_47_03_04/full/Errouissi_et_al_2011_ASEF_47_3_4_402_417_full.pdf |
| Estienne P. | 2011 | Coenochilus hervillardii, nouvelle espèce de Cetoniidae du Pakistan | Cetoniimania. Magellanes (N.S.) 2:60-64 | |
| Ferreira B.F., Abreu R.L.S. & Flechtmann C.A.H. | 2011 | First record and flight habits of Dorysthetus fulgidus (Waterhouse) in the Brazilian Amazon Forest | The Coleopterists Bulletin 65(4):367-370 | |
| Ferreira R.N. | 2011 | Three anomalies of Coleoptera (Carabidae, Staphylinidae, and Scarabaeidae) from Connecticut | Insecta Mundi 0169:1-3 | http://centerforsystematicentomology.org/insectamundi/0169Ferreira.pdf |
| Figueroa L. & Alvarado M. | 2011 | Coleópteros coprófagos de la Reserva Nacional Tambopata, Madre de Dios, Perú | Revista Peruana de Biología 18(2):209-212 | http://sisbib.unmsm.edu.pe/bvrevistas/biologia/v18n2/pdf/a13v18n2.pdf |
| Filgueiras B.K.C., Iannuzzi L. & Vaz-de-Mello F. | 2011 | First report of Oxysternon silenus Castelnau in the Brazilian Atlantic Forest | Revista Brasileira de Entomologia 55(2):283-284 | http://www.scielo.br/pdf/rbent/v55n2/aop1111.pdf |

| | | | | |
|--|------|--|---|---|
| Frolov A.V. | 2011 | A new species of the Madagascan genus <i>Pseudorphnus</i> | Zootaxa 2836:65-68 | |
| Fujii T. | 2011 | A new species of the genus <i>Xylotrupes</i> Hope, from Selayar Island | Kogane, Tokyo 12:93-96 | |
| Fujioka M. | 2011 | A new species of the genus <i>Agnorimus</i> Y.Miyake et Iwase, 1991 from Vietnam | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:183-186 | |
| Gasca Alvarez H.J. & Ratcliffe B.C. | 2011 | An annotated checklist of the oryctine rhinoceros beetles of the Neotropical and Nearctic realms | Zootaxa 3090:21-40 | |
| Génier F. | 2011 | <i>Copriodes</i> Gistel 1857, un nouveau synonyme de <i>Phalops</i> Erichson, 1847 | Catharsius. La Revue 4:1-2 | |
| Ghahari H., Bunalski M., Tabari M. & Ostovan H. | 2011 | Scarab beetles collected in Iranian rice fields and surrounding grasslands | Polskie Pismo Entomologiczne 80:465-474 | |
| Giannoulis T., Dutrillaux A.-M., Mamuris Z., Montreuil O., Stamatis C. & Dutrillaux B. | 2011 | Evolution of European Cockchafers: a morphological, molecular and chromosomal study of intra- and inter-specific variations | Bulletin of Entomological Research 101(3):345-352 | |
| Grossi P.C. | 2011 | Review of <i>Incadorcus</i> Arnaud & Bomans with the description of three new species from the Yungas of Peru and Bolivia | Zootaxa 2750:1-14 | |
| Grossi P.C. & Bartolozzi L. | 2011 | Description of a New Genus and Species of Stag Beetle from the Peruvian Andes | The Coleopterists Bulletin 65(4):387-392 | |
| Grossi P.C. & Grossi E.J. | 2011 | A new species of <i>Amblyodus</i> Westwood, 1878 from South America | ZooKeys 75:21-28 | http://www.pensoft.net/inc/journals/download.php?fileId=1733&fileTable=J_GALLEYS |
| Grossi P.C. & Koike R.M. | 2011 | Description of a new species of the stag beetle genus <i>Altitaiayus</i> Weinreich | Insecta Mundi 189:1-4 | http://centerforsystematicentomology.org/insectamundi/0189GrossiandKoike.pdf |
| Guéorguiev B., Lobo J.M. & Chehlarov E. | 2011 | The Scarabaeoid Beetles (Insecta: Coleoptera: Scarabaeoidea) in the Bulgarian Section of the Western Rhodopes | Beron P. (ed). Biodiversity of Bulgaria. 4. Biodiversity of Western Rhodopes (Bulgaria and Greece). National Museum Natural History, Sofia: 237-265 | http://www.biogeografia.com/CV/jlobo/trabajo_spdf/In%20press%20(Guerguiev%20et%20al.%20Nat.%20Mus.%20Natur.%20Hist.,%20Sofia).pdf |
| Guerlach G. | 2011 | Description d'une nouvelle sous-espèce d' <i>Anoxia matutinalis</i> Castelnau, 1832: <i>Anoxia matutinalis thumseri</i> n.ssp. | Lambillionea 111(3):249-252 | |
| Gusakov A.A. & Klimenko A.A. | 2011 | A new species of the genus <i>Lethrus</i> Scopoli, 1777 (subgenus <i>Scelolethrus</i> Semenov, 1892) from Iran | Eversmannia 25-26:3-8 | |

| | | | | |
|---|------|--|--|---|
| Halffter G., Halffter V. & Favila M.E. | 2011 | Food relocation and the nesting behavior in <i>Scarabaeus</i> and <i>Kheper</i> | Acta Zoologica Mexicana (n.s.) 27(2):305-324 | http://www1.inecol.edu.mx/azm/AZM27(2)-2011/07.-%20Halffter.pdf |
| Halffter G., Halffter V., Martínez-Sánchez K.M., Moreno C.E. & Sánchez-rojas G. | 2011 | Hybridization between Subspecies of <i>Canthon humectus</i> (Say) | The Coleopterists Bulletin 65(4):425-431 | |
| Hardersen S., Macagno A.L.M., Sacchi R. & Toni I. | 2011 | Seasonal constraints on the mandible allometry of <i>Lucanus cervus</i> | European Journal of Entomology 108(3):461-468 | http://www.eje.cz/pdfarticles/1638/eje_108_3_461_Hardersen.pdf |
| Harvey D.J., Gange A.C., Hawes C.J. & Rink M. | 2011 | Bionomics and distribution of the stag beetle, <i>Lucanus cervus</i> (L.) across Europe | Insect Conservation and Diversity 4:23-38 | http://www.ptes.org/files/1351_bionomics_and_distribution.pdf |
| Hinson K.R. & Chong J-H. | 2011 | New State Record for <i>Phyllophaga inepta</i> (Horn) from South Carolina, U.S.A. | The Coleopterists Bulletin 65(2):192-193 | |
| Holm E. & Perissinotto R. | 2011 | New Descriptions and Revisions of Southern African <i>Cetoniinae</i> I | African Entomology 19(1):88-95 | |
| Holter P. & Scholtz C.H. | 2011 | Re-establishment of Biting Mouthparts in Desert-Living Dung Beetles Feeding on Plant Litter—Old Structures Reacquired or New Ones Evolved? | Journal of Morphology 272:1007-1016 | |
| Huang H. & Chen C.C. | 2011 | Notes on <i>Prosopocoilus</i> Hope from China, with the description of two new species | Zootaxa 3126:39-54 | |
| Huang H., He Y. & Zheng S. | 2011 | Description of two new species of <i>Lucanus Scopoli</i> from southeastern Tibet, China | Zootaxa 2987:56-64 | |
| Huang H., Imura Y. & Chen C.C. | 2011 | Notes on the genus <i>Ceruchus</i> MacLeay from China, with the description of a new species | Zootaxa 2906:1-42 | |
| Huang H., Imura Y. & Wu L. | 2011 | Description of three new taxa of <i>Echinoaesalus</i> Zelenka from Borneo and Java | Kogane, Tokyo 12:97-107 | |
| Huijbregts J. & Krikken J. | 2011 | Taxonomy of <i>Onthophagus javanensis</i> and its closest relatives in Sundaland | Tijdschrift voor Entomologie 154(1):33-59 | |
| Imura Y. | 2011 | Two New Taxa of the Genus <i>Platycerus</i> from China | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:131-141 | |
| International Commission on Zoological Nomenclature | 2011 | Opinion 2277 (Case 3504) <i>Onthophagus rugulosus</i> Harold, 1886:specific name conserved | Bulletin of Zoological Nomenclature 68(3):218-219 | |

| | | | | |
|--|------|--|--|---|
| Inward D.J.G., Davies R.G., Pergande C., Denham A.J. & Vogler A.P. | 2011 | Local and regional ecological morphology of dung beetle assemblages across four biogeographic regions | Journal of Biogeography 38:1668-1682 | |
| Jakl S. | 2011 | A contribution to knowledge of the Cetoniinae beetles from Philippines with descriptions of five new species | Studies and Reports of District Museum Prague-East Taxonomical Series 7(1-2):207-218 | |
| Jakl S. | 2011 | Description of seven new taxa of Cetoniinae from Indonesia | Acta Entomologica Musei Nationalis Pragae 51(2):535-550 | |
| Jakl S. & Krikken J. | 2011 | Description of a second species in the enigmatic Southeast Asian genus <i>Platygeniops</i> | Zootaxa 3003:63-68 | |
| Jameson M.L. & Ratcliffe B.C. | 2011 | The Neotropical Scarab Beetle Tribe <i>Anatistini</i> | Bulletin of the University of Nebraska State Museum 16:1-100 | |
| Jimenez-Ferbans L. & Amar-Garcia G. | 2011 | Avaliação da diversidade alfa de Passalidae na Amazônia Colombiana (Parque Nacional Natural La Paya, Putumayo) | Acta Amazonica 41(3):409-414 | http://acta.inpa.gov.br/fasciculos/41-3/PDF/v41n3a11.pdf |
| Johki Y., Araya K. & Kon M. | 2011 | A new species of <i>Leptaulax</i> from the Malay Peninsula | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:149-152 | |
| Josso J.F. | 2011 | Description de quatre nouvelles espèces de Scarabaeidae de Zambie, appartenant aux genres <i>Catharsius</i> Hope, 1837, <i>Copris</i> Müller, 1764, <i>Pleuronitis</i> Lansberge, 1875 et <i>Onthophagus</i> Latreille, 1802 | Catharsius. La Revue 3:1-8 | |
| Katovich K. | 2011 | <i>Pseudopectinosoma</i> Katovich, New Genus, and Review of <i>Pectinosoma</i> Arrow | The Coleopterists Bulletin 65(4):335-340 | |
| Kawai S. | 2011 | Transition of Dung Beetles Inhabited in Tanzawa-Fudakake, Kanagawa Prefecture | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:177-182 | |
| Keith D. | 2011 | Description d'une nouvelle espèce du genre <i>Maladera</i> Mulsant & Rey, 1871 | Vernate 29:161-163 | |
| Keith D. | 2011 | Description d'une seconde espèce du genre <i>Holopycnia</i> | Nouvelle Revue d'Entomologie (N.S.) 26(4):375-377 | |
| Keith D. | 2011 | Sur <i>Trox perrisi</i> Fairmaire, 1868 en Turquie | L'Entomologiste 67(4):236 | |
| Keith D. & Aston Paul | 2011 | First record of <i>Phaeochrous hainanensis</i> Zhang, 1990 from mainland China along with some remarks about its status | Hong Kong Entomological Society Bulletin 3(2):3-4 | |

| | | | | |
|---|------|--|---|---|
| Keith D. & Bordat P. | 2011 | Sur la faune des Scarabaeoidea du Qatar | Nouvelle Revue d'Entomologie (N.S.) 27(2):183-189 | |
| Kirejtshuk A.G., Azar D. & Montreuil O. | 2011 | First Mesozoic representative of the subfamily Liparochrinae from the Lower Cretaceous Lebanese amber | Zoosystematica Rossica 20(1):62-70 | http://www.zin.ru/animalia/coleoptera/pdf/kirejtshuk_et_al_2011_hybosoridae.pdf |
| Kishimoto-Yamada K., Itoika T., Nakagawa M., Momose K. & Nakashizuka T. | 2011 | Phytophagous scarabaeid diversity in swidden cultivation landscapes in Sarawak, Malaysia | The Raffles Bulletin of Zoology 59(2):285-293 | http://rmbr.nus.edu.sg/rbz/biblio/592/59rbz285-293.pdf |
| Kobayashi H. | 2011 | Two New Species of the Genus Neovalgus from Southeast Asia | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:199-202 | |
| Kobayashi H. | 2011 | Description of a new subspecies of Neovalgus laetus from Tokunoshima Is., the Amami Islands, southeast Japan | Kogane, Tokyo 12:11-13 | |
| Kobayashi H. & Bezdek A. | 2011 | Some new species of the genus Apogonia from Southeast Asia, V | Kogane, Tokyo 12:49-66 | |
| Kobayashi H. & Matsumoto T. | 2011 | Atlas of Japanese Scarabaeoidea. Vol.3 Phytophagous group II | Roppon-Ashi Entomological Books, Tokyo, Japan :1-178 | |
| Kocarek P., Sabol O. & Vavra J.C. | 2011 | Recent records of Osmoderma barnabita in Moravian-Silesian region, Czech Republic | Acta Musei Beskidensis 3:193-194 | |
| Kolov S.V. & Nikolajev G.V. | 2011 | A new species of the genus Aphodius Illiger, 1789 from the West of Kazakhstan | Caucasian Entomological Bulletin 7(2):127-128 | |
| Krajcik M. | 2011 | New species of Clinteria Burmeister 1842 from China, Yunnan | Animma.X 37:1-5 | |
| Krajcik M. | 2011 | New species of Protaetia and Paratrichius | Animma.X 39:1-8 | |
| Kral D. | 2011 | A review of Chinese Aphodius species. Part 7: Aphodius (Pseudacrossus) smetanai sp.nov. From Hubei (China) | Studies and Reports Taxonomical Series 7(1-2):249-254 | |
| Krell F-T. & Schawaller W. | 2011 | Chapter 19 Beetles (Insecta:Coleoptera) | T. Harrison (ed.), Paleontology and Geology of Laetoli: Human Evolution in Context. Volume 2: Fossil Hominins and the Associated Fauna. Vertebrate Paleobiology | |
| Krell F-T., Dellacasa G. & Dellacasa M. | 2011 | Auperia Jacquelin-Duval is a Junior Synonym of Euparia Le Peletier De Saint-Fargeau and Serville and Odontolytes Kozhantshikov is the Valid Name for Auperia sensu Stebnicka | The Coleopterists Bulletin 65(2):173-176 | |

| | | | | |
|---|------|--|--|---|
| Krikken J. | 2011 | A new Kenyan species of <i>Bolboceras</i> Kirby | Koleopterologische Rundschau 81:237-242 | |
| Krikken J. & Huijbregts J. | 2011 | New Southeast Asian <i>Onthophagus</i> species in the <i>deflexicollis</i> group | Tijdschrift voor Entomologie 154:203-213 | |
| Krikken J. & Huijbregts J. | 2011 | Taxonomy of Sulawesi <i>Onthophagus</i> lacking a basal pygidial ridge | Tijdschrift voor Entomologie 154:229-268 | |
| Kumar R., Rajkhowa G., Dhar N.J. & Rajan R.K. | 2011 | A new record of <i>Xylotrupes gideon</i> (Linnaeus) on <i>Persia bombycina</i> , Kost. From India | Munis Entomology & Zoology 6(1):173-175 | http://www.munisentzool.org/yayin/vol6/issue1/173-175.pdf |
| Lacroix M. | 2011 | <i>Scaphorhina schoolmeestersi</i> , nouvelle espèce de <i>Pachydeminae</i> afrotropicaux | Coléoptères 17(1):1-12 | |
| Lacroix M. | 2011 | <i>Kenyalepis montana</i> , nouveau genre et nouvelle espèce de <i>Leucopholini</i> d'Afrique orientale | Coléoptères 17(2):13-20 | |
| Latha M., Cuccodoro G., Sabu T.K. & Vinod K.V. | 2011 | Taxonomy of the dung beetle genus <i>Ochicanthon</i> Vaz-de-Mello of the Indian subcontinent, with notes on distribution patterns and flightlessness | Zootaxa 2745:1-29 | |
| Lawrence J.F., Slipinski A., Seago A.E., Thayer M.K., Newton A.F. & Marvaldi A. | 2011 | Phylogeny of the Coleoptera based on morphological characters of adults and larvae | Annales Zoologici, Warszawa 61(1):1-217 | http://www.zin.ru/Animalia/Coleoptera/pdf/Lawrence-et-al2011_Phylogeny-of-Coleoptera_AnnalesZoologici.pdf |
| Legrand J.P. | 2011 | Deux nouvelles espèce du genre <i>Rhabdotis</i> Burmeister, du Soudan et du Mali | Cetoniimania. Magellanes (N.S.) 2:1-4 | |
| Li C.L., Wang C.C. & Chen H.J. | 2011 | Synopsis of the genus <i>Amphicoma</i> Latreille of Taiwan with special reference to the male genitalia | Zootaxa 2790:23-34 | |
| Liu W., Ahrens D., Bai M. & Yang X. | 2011 | A key to species of the genus <i>Gastroserica</i> Brenske of the China, with the description of two new species and two new records for China | ZooKeys 139:23-44 | http://www.pensoft.net/inc/journals/download.php?fileId=3091&fileTable=J_GALLEYS |
| Lobo J.M., Guéorguiev B & Chehlarov E. | 2011 | The species of <i>Scarabaeus</i> Linnaeus in Bulgaria and adjacent regions: faunal review and potential distribution | Entomologica Fennica 21(4):202-220 | http://ojs.tsv.fi/index.php/entomolfennica/article/download/3932/3691 |
| Lopez-Guerrero I. | 2011 | Comparison of Mouthpart Morphology of Three Species of Mexican <i>Oniticellini</i> in Relation to Their Trophic Habits | The Coleopterists Bulletin 65(1):67-77 | |
| Lugo-Garcia G.A., Moron M.A., Reyes-Olivas A., Aragon-Garcia A., Ortega-Arenas L.D. & Cota-Sanchez H. | 2011 | Riqueza de escarabajos con hábitos nocturnos en islas de las bahías de Ohuira y Navachiste, Sinaloa, México | Dugesiana 18(1):1-10 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_agost2011/18(1)1.pdf |

| | | | | |
|--|------|---|--|---|
| Lugo-Garcia G.A., Ortega-Arenas L.D., Gonzales-Hernandez H., Aragon-Garcia A., Romero-Napoles J., Rubio-Cortes R. & Moran M.A. | 2011 | Melolonthidae nocturnos recolectados en la zona agrícola agavera de Jalisco, México | Acta Zoologica Mexicana (n.s.) 27(2):341-357 | http://www1.inecol.edu.mx/azm/AZM27(2)-2011/09.-%20Lugo-Garcia.pdf |
| Macagno A.L.M., Pizzo A., Parzer H.F., Palestini C., Rolando A. & Moczek A.P. | 2011 | Shape - but Not Size - Codivergence between Male and Female Copulatory Structures in Onthophagus Beetles | Plos ONE 6(12):1-10 | http://www.plosone.org/article/fetchObjectAttachment.action;jsessionid=8F9C1C78EDFD12E5690981CEC28042A8?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0028893&represent |
| Maly V. & Montreuil O. | 2011 | Un nouveau Scarabaeus Linné d'Arabie Saoudite | Catharsius. La Revue 4:5-8 | |
| Maruyama M. & Nomura S. | 2011 | Taxonomy of the Genus Stereomera Arrow, 1905, with Description of a New Species from Peninsular Malaysia | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:171-175 | |
| Maruyama M., Ueno T. & Sakchoowong W. | 2011 | Coenochilus thailandicus, a New Species of Cremastocheilini from Thailand | Esakia 50:93-96 | https://qir.kyushu-u.ac.jp/dspace/bitstream/2324/19401/1/p093.pdf |
| Masumoto K. | 2011 | Lectotype designation for Bolboceras nigroplagiatum Waterhouse | Elytra, Tokyo, New Series 1(2):211-212 | |
| Masumoto K., Ochi T. & Kon M. | 2011 | A new Onthophagus species from Borneo | Elytra, Tokyo, New Series 1(2):213-216 | |
| Masumoto K., Ochi T. & Tsai J-F. | 2011 | Occurrence of Onthophagus (Serrophorus) rectecornutus Lansberge in Taiwan | Kogane, Tokyo 12:67-68 | |
| Masumoto K., Ochi T. & Tsai J-F. | 2011 | Two new species of the genus Panelus from Taiwan | Kogane, Tokyo 12:79-86 | |
| Matsumoto T. | 2011 | A new species of the genus Asactopholis Brenske from Laos and Vietnam and proposal of two new combinations with a list of known species | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:203-208 | |
| Matsumoto T. | 2011 | Taxonomic notes on the genus Miridiba Reitter from the Sunda Archipelago | Kogane, Tokyo 12:1-5 | |
| Matsumoto T. | 2011 | Taxonomic study for the Holotrichia constricta group, with reference to the systematic status of the genus Holotrichia Hope | Kogane, Tokyo 12:25-37 | |
| Maughan N. & Paulian A. | 2011 | Précisions sur la biogéographie du genre Copris Geoffroy, 1762, dans le sud-est de la France | Bulletin de la Société entomologique de France 116(4):435-452 | |
| McQuate G.T. & Jameson M.L. | 2011 | Distinguishing male and female Chinese rose beetles, Adoretus sinicus, with an overview of Adoretus species of biosecurity concern | Journal of Insect Science 11(64):1-18 | http://soar.wichita.edu/dspace/bitstream/handle/10057/3517/McQuateJameson2011.pdf |

| | | | | |
|----------------------------------|------|--|---|---|
| Mencl L. | 2011 | A new genus and a new species of the subfamily Termitoderinae | Folia Heyrovskyana, series A 19(1-4):13-20 | |
| Mertlik J. | 2011 | Contribution to the conservation of sand biotopes of the Eastern Bohemia with citation of findings of nine rare psammophilous beetles | Elateridium 5:5-42 (17-21) | http://www.elateridae.com/clanky/psammofilo ve_vychodnich_zech_5_2_2011.pdf |
| Miessen G. | 2011 | Quelques commentaires sur le genre <i>Bolbelasmus</i> Boucomont, 1911 et description d'une nouvelle espèce de Chypre | Lambillionea 111(2):109-119 | |
| Miessen G. & Trichas A. | 2011 | Description d'un nouveau <i>Bolbelasmus</i> Boucomont, 1911 du sud de l'Archipel Egéen | Lambillionea 111(2):182-188 | |
| Miraldo A., Wirta H. & Hanski I. | 2011 | Origin and diversification of dung beetles in Madagascar | Insects 2(2):112-127 | https://helda.helsinki.fi/bitstream/handle/10138/29759/pdf.pdf?sequence=2 |
| Mittal I.C. | 2011 | Synoptic key to Indian species of genus <i>Garreta</i> Janssens with a new species from Haryana (India) | Journal of Entomological Research 35(3):295-298 | |
| Mitter H. | 2011 | Bemerkenswerte Käferfunde aus den Familien Glaphyridae und Scarabaeidae aus Marokko | Linzer Biologische Beiträge 43(2):1513-1517 | |
| Mitter H. | 2011 | Die Aberrationen von <i>Eulasia</i> (<i>Vittateulasia</i>) <i>vittata</i> ssp. <i>vittata</i> (Fabricius, 1775) und ihre geographische Verbreitung | Linzer Biologische Beiträge 43(2):1253-1257 | |
| Mondaca J. | 2011 | Primer registro de <i>Cyclocephala modesta</i> en Chile | Revista Chilena de Entomologia 36:33-38 | http://www.insectachile.cl/pdf/Mondaca_%202011b.pdf |
| Mondaca J. | 2011 | Presencia de <i>Athlia giaii</i> y <i>Myloxena patagonica</i> en la Patagonia occidental, Chile | Revista Chilena de Entomologia 36:43-49 | http://www.insectachile.cl/pdf/Mondaca_2011a.pdf |
| Montreuil O. | 2011 | Les <i>Gymnopleurini</i> d'Iran | Bulletin de la Société entomologique de France 116(4):405-419 | |
| Montreuil O. | 2011 | Isolement d'une sous-espèce d' <i>Amphimallon atrum</i> (Herbst, 1790) dans les Pyrénées espagnoles | Bulletin de la Société entomologique de France 116(4):420 | |
| Montreuil O. | 2011 | Monophylie du « groupe <i>Epilissus</i> » et refonte des genres <i>Epilissus</i> Reiche, 1841, <i>Arachnodes</i> Westwood, 1847 et <i>Apterepilissus</i> n. gen. de Madagascar | Zoosystema 33(1):101-122 | http://www.mnhn.fr/museum/front/medias/publication/33673_z2011n1a5protected.pdf |
| Montreuil O. & Théry T. | 2011 | Revision of the New Caledonian genus <i>Pseudonthobium</i> Paulian, 1984 | Zootaxa 2863:49-62 | |

| | | | | |
|--|------|---|---|---|
| Montreuil O. & Viljanen H. | 2011 | Deux nouvelles espèces du genre <i>Nanos</i> Westwood, 1847, de Madagascar | Bulletin de la Société entomologique de France 116(1):25-28 | |
| Montreuil O. & Ziani S. | 2011 | Découverte du mâle d' <i>Onthophagus excubitor</i> Ziani & Gudenzi, 2006 | Bulletin de la Société entomologique de France 116(4):468 | |
| Monzon Sierra J. & Garcia Morales L.J. | 2011 | Two new species of <i>Chrysina</i> Kirby from Mexico | Insecta Mundi 195:1-8 | http://centerforsystematicentomology.org/insectamundi/0195MonzonandGarcia.pdf |
| Morales-Rodriguez A., Peck D.C. & Robbins P.S. | 2011 | First record of the scarab beetle, <i>Phyllophaga lissopyge</i> from South America, with descriptions of adult seasonal activity and male response to sex attractants | Journal of Insect Science 11(23):1-9 | http://www.insectscience.org/11.23/i1536-2442-11-23.pdf |
| Morelli E. & Gonzalez-Vainer P. | 2011 | <i>Canthon</i> (<i>Pseudepilissus</i>) <i>Muticus Muticus</i> Harold, 1868: Descriptions of the Third Instar and Pupa | The Coleopterists Bulletin 65(4):371-375 | |
| Moretto P. | 2011 | Nouveaux Scarabaeidae africains appartenant aux genres <i>Lophodonitis</i> Janssens, 1938 et <i>Copris</i> Müller, 1764. Notes sur quelques <i>Onitis</i> Fabricius, 1798 | Catharsius. La Revue 3:9-19 | |
| Moron M.A. | 2011 | <i>Phyllophaga</i> (s.str.) <i>santiagozai</i> , una nueva especie de la zona árida de Puebla, México | Dugesiana 17(2):167-170 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/167.pdf |
| Muramoto R. | 2011 | A new species of the genus <i>Eophileurus</i> Arrow, 1908 from Vietnam | Kogane, Tokyo 12:7-9 | |
| Neita-Moreno J.C. & Ratcliffe B.C. | 2011 | Immature stages of <i>Homophileurus tricuspis</i> Prell with notes on natural history and distribution in Colombia | Zootaxa 2915:20-28 | |
| Neita-Moreno J.C. & Yepes F. | 2011 | Descripción de larva y pupa de <i>Dyscinetus dubius</i> | Revista Colombiana de Entomología 37(1):154-157 | |
| Nicolas J.-L. | 2011 | Note sur les Scarabaeidae du Parc National de Bamingui-Bangoran en République Centrafricaine | Entomologia Africana 16(1):18-21 | |
| Nikolajev G.V. | 2011 | A new name for the tribe Saprini Nikolajev, 2008 | Euroasian Entomological Journal 10(3):328-329 | |
| Nikolajev G.V. & Ren D. | 2011 | The oldest species of the genus <i>Glaphyrus</i> Latr. From the Mesozoic of China | Paleontological Journal 45(2):179-182 | |
| Nikolajev G.V., Wang B. & Zhang H. | 2011 | A new fossil genus of the family Glaphyridae from the Lower Cretaceous Yixian Formation | Zootaxa 2811:47-52 | |

| | | | | |
|--|------|---|--|---|
| Nikolajev G.V., Wang B., Liu Y. & Zhang H. | 2011 | Stag beetles from the Mesozoic of inner Mongolia, China | Acta Palaeontologica Sinica 50(1):41-47 | |
| Ocampo F.C. & Molano F. | 2011 | Revision and biogeography of the Neotropical dung beetle genus <i>Scybalophagus</i> | Revista de la Sociedad Entomológica Argentina 70(3-4):231-253 | |
| Ochi T., Kawahara M. & Inagaki M. | 2011 | Taxonomic notes on some Japanese coprophagous lamellicorn beetles VIII. Descriptions of a new species of the genus <i>Psammodius</i> and a new species of the genus <i>Trichiorhyssenus</i> from Tanegashima Is., Southwest Japan | Kogane, Tokyo 12:69-77 | |
| Ochi T., Kon M. & Kawahara M. | 2011 | Four new taxa of Scarabaeoidea from Southeast Asia | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:153-162 | |
| Onore G., Bartolozzi L. & Zilioli M. | 2011 | A new species of the genus <i>Syndesus</i> Macleay, 1819 from Ecuador | Kogane, Tokyo 12:43-48 | |
| Özbek H. | 2011 | <i>Omaloplia spireae spireae</i> (Pallas), a new pest of sea buckthorn, <i>Hippophae rhamnoides</i> L., in Turkey | Turkisch Journal of Zoology 35(3):437-440 | http://journals.tubitak.gov.tr/zoology/issues/zo-11-35-3/zoo-35-3-14-1002-69.pdf |
| Pardo-Locarno L.C. & Rios-Malaver C. | 2011 | <i>Psilodon paschoali</i> n.sp. y descripción de la hembra de <i>Psilodon aequinoctiale</i> Buquet en la región Norandina de Colombia | Boletín Científico Centro de Museo Historia Natural 15(1):246-250 | http://200.21.104.25/boletincientifico/downloads/Boletin(15)1_20.pdf |
| Paukstadt U. & Paukstadt L.H. | 2011 | Die Lucaniden (Hirschkäfer) der Nanggroe Aceh Darussalam Provinz, Sumatra, Indonesien - Teil I. | Beiträge zue Kenntnis der wilden Seidenspinner 9(8):335-376 | |
| Paukstadt U. & Paukstadt L.H. | 2011 | Die Lucaniden (Hirschkäfer) der Nanggroe Aceh Darussalam Provinz, Sumatra, Indonesien - Teil II. | Beiträge zue Kenntnis der wilden Seidenspinner 9(9):379-424 | |
| Paulsen M.J. | 2011 | A second species of <i>Lucanobium</i> Howden and Lawrence from South America | Insecta Mundi 0171:1-3 | http://centerforsystematicentomology.org/insectamundi/0171Paulsen.pdf |
| Paulsen M.J. | 2011 | A new species of <i>Parochodaeus</i> Nikolajev from the southwestern United States | Insecta Mundi 0184:1-4 | http://journals.fcla.edu/mundi/article/view/76286/73947 |
| Peck S.B. | 2011 | The beetles of Martinique, Lesser Antilles; diversity and distributions | Insecta Mundi 0178:1-57 | http://centerforsystematicentomology.org/insectamundi/0178Peck.pdf |
| Peck S.B. | 2011 | The diversity and distributions of the beetles of the northern Leeward Islands, Lesser Antilles (Anguilla, Antigua, Barbuda, Nevis, Saba, St. Barthélemy, St. Eustatius, St. Kitts, and St.Martin-St. Maarten) | Insecta Mundi 0159:1-54 | http://centerforsystematicentomology.org/insectamundi/0159Peck.pdf |
| Pittino R. | 2011 | The Afrotropical species of the genus <i>Afromorgus</i> Scholtz, 1986 1st note: <i>A. melancholicus</i> (Fahraeus, 1857) and its closest relatives | Giornale Italiano di Entomologia 12:395-412 | |

| | | | | |
|--|------|---|---|---|
| Pittino R. | 2011 | Two new north African species of the genus <i>Trox</i> Fabricius, 1775 | Giornale Italiano di Entomologia 12:373-380 | |
| Pittino R. | 2011 | <i>Lethrus</i> (<i>Lethrus</i>) <i>liviae</i> n. sp. from European Turkey | Giornale Italiano di Entomologia 12:381-394 | |
| Pivotti I., Agoglitta R., Zunino M., Piatella E., Dellacasa M., Corallini C. & Mifsud D. | 2011 | The Scarabaeoidea of the Maltese Islands (Central Mediterranean) | Bulletin of the Entomological Society of Malta 4:85-124 | |
| Pizzo A, Mazzone F., Rolando A. & Palestini C. | 2011 | Combination of geometric morphometric and genetic approaches applied to a debated taxonomical issue: the status of <i>Onthophagus massai</i> as an endemic species vicarious to <i>Onthophagus fracticornis</i> in Sicily | Zoology 114:199-212 | |
| Poinar G. | 2011 | <i>Paleotrichius dominicanus</i> n.gen., n.sp., a flower beetle in Dominican amber | Historical Biology 23(2-3):109-113 | |
| Ponel P., Andrieu-Ponel V. & Keith D. | 2011 | Redécouverte d' <i>Anomala devota</i> (Rossi, 1790) en Afrique du Nord | Bulletin Rutilans 14(1):8-11 | |
| Rakovic M. & Mencl L. | 2011 | <i>Sariangus sariangi</i> , a new genus and species of the family Aphodiidae | Studies and Reports. Taxonomical Series 7(1-2):383-389 | |
| Rakovic M. & Mencl L. | 2011 | A revision of Himalayan species of the genus <i>Agoliinus</i> A.Schmidt, 1913 with description of a new species | Lambillionea 111(3):307-313 | |
| Ramírez-Ponce A. | 2011 | <i>Paranomala zaragozai</i> , una nueva especie de Nayarit, México | Dugesiana 17(2):181-185 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/181.pdf |
| Ratcliffe B.C. | 2011 | A Review of the Species of <i>Phileurus</i> Latreille with Quadridentate Protibiae and Description of a New Species from Panama | The Coleopterists Bulletin 65(2):125-129 | |
| Ratcliffe B.C. | 2011 | <i>Hoplopygothrix</i> Schürhoff revisited: a new species and country record for Bolivia | The Coleopterists Bulletin 65(1):63-66 | |
| Ratcliffe B.C. & Cave R.D. | 2011 | Revisions of the genera <i>Endroedianibe</i> Chalumeau and <i>Hispanioryctes</i> Howden and <i>Endrödi</i> from Hispaniola, with descriptions of new species | The Coleopterists Bulletin 65(1):1-14 | |
| Ratcliffe B.C. & Curoe D.J. | 2011 | A New Species of <i>Hemiphileurus</i> Kolbe from Panama, with a Revised Key to the Panamanian Species | The Coleopterists Bulletin 65(2):139-143 | |
| Ratcliffe B.C. & Hoffman R.L. | 2011 | <i>Cyclocephala nigricollis</i> Burmeister. What is It? and Where is It? | The Coleopterists Bulletin 65(2):135-138 | |

| | | | | |
|---|------|--|--|---|
| Ratcliffe B.C. & Skelley P.E. | 2011 | Description of the larva of <i>Homophileurus integer</i> (Burmeister, 1847), with notes on biology and a key to the known larvae of New World Phileurini | The Coleopterists Bulletin 65(3):297-304 | |
| Ratcliffe B.C. & Warner W.B. | 2011 | A revision of the genus <i>Gymnetina</i> Casey, 1915 | Insecta Mundi 0173:1-28 | http://centerforsystematicentomology.org/insectamundi/0173RatcliffeandWarner.pdf |
| Rey A. & Uliana M. | 2011 | Notes on <i>Hoplia laconiae</i> Petrovitz, a poorly known species from Greece, and related taxa | Bollettino del Museo Civico di Storia Naturale di Venezia 62:47-54 | |
| Reyes-Castillo P. | 2011 | Las especies mexicanas de <i>Heliscus</i> Zang, 1906 | Dugesiana 17(2):193-196 | http://www.cucba.udg.mx/publicaciones1/pag_e_dugesiana/dugesiana_2011/193.pdf |
| Ricchiardi E. | 2011 | Description of a new <i>Calometopus</i> (Blanchard, 1850) from Kivu | Entomologia Africana 16(1):15-17 | |
| Rittner O. | 2011 | A revised checklist of the genus <i>Scarabaeus</i> Linnaeus 1758 occurring in Israel with a first record of <i>Scarabaeus</i> (<i>Scarabaeus</i>) <i>irakensis</i> Stolfa | Animma.X 40:1-4 | |
| Rohwedder D. | 2011 | Aktuelle Aufsammlungen von Rosenkäfern im Kakamega Forest, am mount Kenya und angrenzenden Gebieten in Kenia | Entomologische Zeitschrift, Stuttgart 121(1):3-9 | http://www.zin.ru/Animalia/Coleoptera/pdf/rohwedder_2011.pdf |
| Rojkoff S. | 2011 | Révision du genre <i>Trogodes</i> Westwood 1857 | Cetoniimania NS 2:37-59 | |
| Rojkoff S. | 2011 | Description d'une nouvelle espèce de <i>Cymophorus</i> (<i>Syntomopteryx</i>) Kraatz, 1900 d'Angola | Entomologia Africana 16(2):2-6 | |
| Romero-Samper J., Cabrero-Sanudo F.J., Lobo J.M., Albaladejo C.M. & Moya I.I. | 2011 | Resultados de la catalogación de los <i>Scarabaeoidea</i> <i>Laparosticti</i> coprófagos de Marruecos y el Sáhara Occidental conservados en las colecciones del Museo Nacional de Ciencias Naturales | Graellsia 67(1):47-56 | http://graellsia.revistas.csic.es/index.php/graeellsia/article/view/412/415 |
| Rowland J.M. | 2011 | Notes on nomenclature in <i>Xylotrupes</i> Hope | Insecta Mundi 0176:1-10 | http://centerforsystematicentomology.org/insectamundi/0176Rowland.pdf |
| Sabol O. | 2011 | The occurrence of <i>Hoplia</i> genus in the area of Frýdek-Místek and Ostrava | Acta Musei Beskidensis 3:195-196 | |
| Sabol O. | 2011 | Occurrence of <i>Anomala dubia</i> on the river terraces of the Odra river near Ostrava and Bohumín | Acta Musei Beskidensis 3:197 | |
| Sabu K.T. & Latha M. | 2011 | <i>Ochicanthon fernandoi</i> : a replacement name for the primary junior homonym <i>O. vazdemelloi</i> Latha and Sabu 2011 | Zootaxa 3097:68 | http://www.mapress.com/zootaxa/2011/f/zt03097p068.pdf |

| | | | | |
|-----------------------------------|------|--|--|---|
| Sabu K.T., Nithya S. & Vinod K.V. | 2011 | Faunal survey, endemism and possible species loss of Scarabaeinae in the western slopes of the moist South Western Ghats, South India | Zootaxa 2830:29-38 | http://www.mapress.com/zootaxa/2011/f/zt02830p038.pdf |
| Sakai K. | 2011 | A Story of Parapilinurgus masumotoi | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:197-198 | |
| Sallam N. | 2011 | Review of current knowledge on the population dynamics of Dermolepida albohirtum (Waterhouse) | Australian Journal of Entomology 50:300-308 | http://onlinelibrary.wiley.com/doi/10.1111/j.1440-6055.2010.00807.x/pdf |
| Schenk K.D. | 2011 | Anmerkungen zu Hirschkäfern Asiens und Beschreibung von zwei neuen Arten | Beetles World 5:1-10 | |
| Schenk K.D. & Fiedler F. | 2011 | Ein neuer Fund von Lucanus (Pseudolucanus) busignyi in der Türkei | Beetles World 5:11-16 | |
| Sehna R. & Bezdek A. | 2011 | Review of the subgenus Polyphylla (Granida) from continental Asia | ZooKeys 102:65–76 | http://www.pensoft.net/inc/journals/download.php?fileId=2283&fileTable=J_GALLEYS |
| Sehna R. & Nikodym M. | 2011 | Holochelus (Miltotrogus) jarkae sp.nov. from Greece | Animma.X 41:1-6 | |
| Shabalin S.A. | 2011 | Obzor Zhestkokrylykh roda Hopleia dal'Nego Vostoka Rossii | Zoologicheskii Zhurnal 90(6):712-716 | |
| Silva F.A.B. | 2011 | First record of Coprophanaeus bellicosus (Olivier) in a "Brejo de Altitude" forest in northeastern Brazil: a historical biogeographical approach | Revista Brasileira de Entomologia 55(4):615-617 | http://www.scielo.br/pdf/rbent/v55n4/v55n4a20.pdf |
| Silva F.A.B. | 2011 | A new species of the genus Scybalocanthos from Southeast Brazil | PLoS ONE 6(11):1-5 | http://www.plosone.org/article/attachment.action?jsessionid=0B740496ECC4D932A71B9FB6E1DFAB90?uri=info%3Adoi%2F10.1371%2Fjournal.pone.0027790&representative |
| Silvestre G. | 2011 | Un nouveau Wernoryctes Dechambre, 1999 des Monts Usambara, Tanzanie | Entomologia Africana 16(1):22-26 | |
| Sipek P. & Ahrens D. | 2011 | Inferring larval taxonomy and morphology in Maladera species using DNA taxonomy tools | Systematic Entomology 36:628-643 | |
| Sipek P., Jansta P. & Kral D. | 2011 | Immature stages of Euchirinae: genera Cheirotonus and Propomacrus with comments on their phylogeny based on larval and adult characters | Invertebrate Systematics 25:282-302 | |
| Snegin E.A. | 2011 | Assessment of viability of populations of a stag-beetle Lucanus cervus L., 1758 in forest-steppe landscape | Euroasian Entomological Journal 10(2):137-142 | |

| | | | | |
|---|------|---|---|---|
| Sole C.L., Wirta H., Forgie S.A. & Scholtz C.H. | 2011 | Origin of Madagascan Scarabaeini dung beetles: dispersal from Africa | Insect Systematics and Evolution 42:29-40 | |
| Solis A., Noriega J.A. & Herrera G. | 2011 | Escarabajos coprogafos en tres bosques secos del departamento del Atlantico-Colombia | Boletín del Museo de Entomología de la Universidad del Valle 12(1):33-41 | http://entomologia.univalle.edu.co/boletin/4Solis.pdf |
| Soula M. | 2011 | Les Coléoptères du Nouveau Monde. Geniatiini. Révision du genre Bolax | Besoiro Supplément :1-85 | |
| Stebnicka Z. | 2011 | Aegialiini and Eremazini of the World. Iconography | Institute of Systematics and Evolution of Animals Polish Academy of Sciences :1-92 | |
| Strümpher W.P. & Scholtz C.H. | 2011 | Description of a new, possibly extinct, species of flightless Trox F. from South Africa | Insect Systematics & Evolution 42(4):337-348 | |
| Strümpher W.P. & Scholtz C.H. | 2011 | New species of Trogidae from Australia | Australian Journal of Entomology 50:139-143 | |
| Tarasov S.I. & Keith D. | 2011 | Parachorius semsanganus sp.n. from Laos and its significance in the phylogeny of Oriental Deltochilini | ZooKeys 111:51-57 | http://www.pensoft.net/inc/journals/download.php?fileId=2387&fileTable=J_GALLEYS |
| Tarasov S.I. & Solodovnikov A.Y. | 2011 | Phylogenetic analyses reveal reliable morphological markers to classify mega-diversity in Onthophagini dung beetles | Cladistics 27:1-39 | http://www.zin.ru/Animalia/Coleoptera/pdf/tarasov_solodovnikov_2011_onthophagini.pdf |
| Telnov D. | 2011 | New Gilletinus Boucomont, 1932 from Misool, with the key to known species | Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea 1:287-290 | |
| Tocco C., Roggero A., Rolando A. & Palestini C. | 2011 | Interspecific shape divergence in Aphodiini dung beetles: the case of Amidorus obscurus and A. immaturus | Organisms Diversity & Evolution 11:263-273 | http://www.springerlink.com/content/k06831j5m487555t/fulltext.pdf |
| Tsukamoto K. & Inagaki M. | 2011 | A Report of the Insect Remains Excavated from the "Heiankyo Ukyo-3-jo-3-bo" Ruins | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:163-169 | |
| Týr V. | 2011 | Faunistické zprávy ze západních Čech – 4 | Západočeské entomologické listy 2:5-6 | http://www.zpcse.cz/entolisty/dokumenty/2011/02-02-Tyr2.pdf |
| Valladares L., Calmont B., Brustel H. & Goux N. | 2011 | Bilan des connaissances sur la répartition de Ceruchus chrysomelinus (Hochenwarth, 1785) en France | Bulletin Rutilans 14(2):31-40 | |
| Vasko B.N. | 2011 | New data on distribution of Hoplia golovjankoi Jakobson, 1914 in Ukraine | Ukrainska Entomofaunistyka 2(5):1-2 | http://www.archive.org/download/NewDataOnDistributionOfHopliaGolovjankoiJakobson1914coleoptera/Ukrentfau_2_5_1_Vasjko_Hoplia.pdf |

| | | | | |
|---|------|--|--|---|
| Vaz-de-Mello F.Z., Edmonds W.D., Ocampo F.C & Schoolmeesters P. | 2011 | A multilingual key to the genera and subgenera of the subfamily Scarabaeinae of the New World | Zootaxa 2854:1-73 | http://www.mapress.com/zootaxa/2011/f/zt02854p073.pdf |
| Verdugo A., Gutiérrez J.L.L. & Molina D.M. | 2011 | Nuevos registros ibéricos de <i>Glaresis hispana</i> (Báguena, 1959)(España) | Boletín de la Sociedad Entomológica Aragonesa 48:445-446 | |
| Vieira L., Louzada J., Vaz-de-Mello F.Z., Lopes P.P. & Silva F.A.B. | 2011 | New Records, Threatens and Conservation Status for <i>Dichotomius schiffleri</i> Vaz-de-Mello, Louzada & Gavo: an Endangered Dung Beetle Species from Brazilian Atlantic Forest Ecosystems | Neotropical Entomology 40(2):282-284 | http://www.scielo.br/pdf/ne/v40n2/20.pdf |
| Wada K. | 2011 | Two New Species of the Genus <i>Mimela</i> from Sulawesi | Special Publication of the Japanese Society of Scarabaeoidology, Tokyo 1:187-195 | |
| Warner W.B. | 2011 | Review of the genus <i>Orizabus</i> Fairmaire in the United States of America | Insecta Mundi 0174:1-42 | http://centerforsystematicentomology.org/insectamundi/0174Warner.pdf |
| Warner W.B. | 2011 | Four new species of <i>Acoma</i> Casey, with a key to species in the genus | Insecta Mundi 0172:1-17 | http://centerforsystematicentomology.org/insectamundi/0172Warner.pdf |
| Woodruff R.E. & Steiner W.E. | 2011 | A new species of <i>Phyllophaga</i> Harris from the island of Navassa in the Caribbean | Insecta Mundi 0157:1-6 | http://centerforsystematicentomology.org/insectamundi/0157WoodruffandSteiner.pdf |
| Yamaya S. | 2011 | On the genus <i>Neohyphus</i> of the Philippines, with description of a new species | Bulletin of the Nagaoka Municipal Science Museum 46:3-8 | |
| Yamaya S. | 2011 | A new species of the genus <i>Ceratoryctoderus</i> Arrow, 1908 from Sangir Island, northeastern Indonesia | Kogane, Tokyo 12:39-41 | |
| Zhang X., Keith D., Li J., Lin L., Zhang S., Zhang P. & Shao C. | 2011 | Scarabaeoidea de la Province du Heilongjiang, République Populaire de Chine | Symbioses (N.S.) 27:46-52 | |
| Ziani S. | 2011 | A review of the Mediterranean genus <i>Anomius</i> Mulsant & Rey, 1870 with the description of a new species from Israel | Annali del Museo Civico di Storia Naturale "G. Doria" 103:93-132 | |
| Ziani S. | 2011 | A new Iranian <i>Onthophagus</i> species belonging to the <i>O. semicornis</i> group | Zootaxa 2907:47-50 | |
| Ziani S. & Branco T. | 2011 | The authorship and date of the genus-group name <i>Pachylomera</i> | Zootaxa 2803:63-68 | |
| Ziani S. & Moradi Gharakhloo M. | 2011 | Further records of Scarabaeoidea found inside burrows of rodents in Iran | Fragmenta entomologica 43(1):57-74 | |

| | | | | |
|-----------------------------------|------|---|---|---|
| Ziani S., Nadai L. & Montreuil O. | 2011 | New or noteworthy records of Scarabaeoidea from the Middle East | Folia Entomologica Hungarica 72:65-72 | |
| Zidek J. & Pokorný S. | 2011 | Replacement name for a subgenus of Scarabaeus Linné, and remarks on Scarabaeus isidis | Klapalekiana 47:89–90 | |
| Zinchenko V.K. | 2011 | Aphodius (Agolius) montanus Erichson, 1848 first records for the fauna of Russia | Eurasian Entomological Journal 10(2):178 | http://szmn.eco.nsc.ru/persons/zinchenko/60.pdf |
| Zorn C. | 2011 | New species of the genus Anomala Samouelle from mainland South East Asia and South China | Stuttgarter Beiträge zur Naturkunde A Neue Serie 4:297-312 | |
| Zorn C. | 2011 | Taxonomic revision of the Anomala cuprascens species group of Sulawesi and the Papuan Region. The species with a bidentate protibia | Biodiversity, Biogeography and Nature Conservation in Wallacea and New Guinea 1:351-428 | |
| Zúber M. | 2011 | Scarabaeoidea of the lower Jizera river region | Elateridarium 5:43-54 | http://www.elateridae.com/clanky/scarabaeoidea_dolniho_pojizeri_14_2_2011.pdf |